

Material Safety Data Sheet

MSDS No: SCPL/009 Preparation Date: August/2019

Revision Date: May/2022

Product Name: Ferric Chloride Liquid



Reactivity	2
Fire	0
Health	3

1. IDENTIFICATION OF PRODUCT/DETAILS OF MANUFACTURING COMPANY

Product Name Ferric Chloride Liquid

Product Code SCPL/009

Product useGeneral purpose, Industrial Purpose
Company Name
Siddharth Chlorochem Pvt. Ltd.

Postal address Plot No: 313 Phase II GIDC Panoli, Dist: Bharuch, Guj, India

Telephone +91 2646 272406 **Fax** +91 2646 272691

E-mail <u>director@siddharthchlorochem.com</u>

2. CHEMICAL INFORMATION ON INGRADIENTS

Physical Property Liquid form

Ingredients Name CAS Proportion Hazard

Ferric Chloride Liquid 7705-08-0 35-45% min Yes (Read

entire

Water 7732-18-5 55-65% min MSDS)

Chemical structure FeCL3, Iron (III) Chloride, Iron tri chloride



3. HAZARDS IDENTIFICATION

- a. Corrosive! Harmful to inner respiratory systems if swallowed in large quantity. Causes serval skin and eye burns. Vapors are extremely irritating to eyes and respiratory tracks.
- b. Skin Contact: Corrosive! Burns can occur if not promptly removed. Concentrated solution may cause pain and deep and severe burns to the skin.
- c. Eye contact: Extremely corrosive! This product causes corneal scarring and clouding. Glaucoma, cataracts and permanent blindness may occur.
- d. Other health effects: Corrosive effects on skin and eye may be delayed, and damage may occur without the sensation or onset of pain.

4. FIRST AID MEASURES	
Inhalation	Move victim to fresh air. Give artificial respiration ONLY if breathing has stopped. Give cardiopulmonary resuscitation (CPR) if there is no Breathing and no pulse. Oxygen administration may be beneficial in This situation but should only be administrated by personnel trained.
Ingestion	Do not attempt to give anything by mouth to an unconscious person. Immediately contact local poison control center. If victim is alert & not convulsing rinse mouth out and give 1 to 2 glasses of milk. Water may be used if milk is not available but it is not as effective. If Spontaneous vomiting occurs have victim lean forward with head Down to avoid breathing in of vomitus, rinse mouth and Administrator more milk or water.
Skin	Prompt removal of the material from the skin is essential. Remove all contaminated clothing and immediately wash the exposed area with copious amount of water for min of 30 min.
Eye	Immediately flush eye with running water for min 30 minutes. Hold Eyelids open during flushing. If irritating persists repeat flushing.
Advice to Doctor	Immersed the exposed part immediately in ice water to relieve pain and to prevent swelling & blistering. Place cold packs, ice or wet clothes on the burned area if immersion is not possible.

Email: info@siddharthchlorochem.com



5. FIRE FIGHTING MEASURES

Fire hazards Non-flammable.

Extinguishing media Water spray, carbon dioxide foam or dry agent.

Precaution Use water spray to cool fire-exposed containers or structures.

Use water spray to disperse vapors. Isolate materials that are not Involved in the fire and protect personnel. The heat from fire may

build-up pressure in the container and may rupture.

6. ACCIDENTAL RELEASE MESURES

Spills & Disposal Sweep up spills together with dust blinding agent or use a vacuum

cleaner. Clean up personnel should wear protective glasses and dust

mask. Place waste in labeled drums for disposal by incineration.

7. HANDLING AND STORAGE

Handling Use normal "good" industrial hygienic and housekeeping practice

Container exposed to heat may be under internal pressure. These

should be cooled and vented before opening.

Storage Store in a cool dry place. (Temp. range: 10-35 degree)

Store away from organic acid & strong bases.

Special material is to be used for packing to store the same like

Teflon, polypropylene, PVC, rubber lined steel.

8. EXPOSURE CONTROLS/PERSONEL PROTECTION

Exposure information We recommend the following for nuisance fumes, dusts: TWA 10

mg/m3

Respiratory Avoid inhalation of fumes **Eye protection** Avoid contact with eyes

Personnel protective Safety glasses and gloves recommended and dust mask in accordance

Equipment with AS1715 and AS1716.



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Dark brown liquid Melting point Approx. 306 degree C

PH value Highly acidic
Volatile compound Not available
Flash point >100 degree C
Flammability Non-flammable
Ignition Not available
Molecular Wt. 162.21 g/mol
Solubility in water very good

10. STABILITY AND REACTIVITY

Reaction hazard If react with strong bases

Haz polymerizationNot possibleDecomposition productSodium chloride

11. TOXILOGICAL INFORMATION

Toxicology Actuate oral toxicity: LD50 900 mg/Kg (rat)

Irritating Actuate skin irritation:

InhalationIs likely to cause respiratory irritationIngestionHarmful if swallowed in large quantity

Skin Prolonged or repeated skin contact may cause irritation. It is likely

To cause discomfort and effects such as moderate to serve itchiness

Blistering and skin reddening.

Eye This product is irritating to eyes. It will cause discomfort such as

Stinging pain, watering and redness of the eyes. Effects may last after

Exposure has ceased, and in severer exposures, long lasting or even

Permanent effects such as corneal damage can occur.



12. ECOLOGICAL INFORMATION

Information on Fish Not Available

Dophia Not Available Algae Not Available

13. DISPOSAL CONSIDERATION

Deactivating chemicals Neutralize carefully with soda ash or sodium bicarbonate to a ph of 7

Neutralization is expected to be an exothermic.

14. TRANSPORT INFORMATION

U.N. Number Please consult North American Emergency guide book, via UN 2582

for guidance on addressing spills.

Shipping Description Class 8, UN 2582, Packing group: III

LabelCorrosive.EMSF A, S BMarine PollutantNo

15. REGULATORY INFORMATION

Safety Phrase In case of contact with eyes rinse immediately with plenty of water

And take medical attention.

Poisons Schedule Not poison

Hazard category Non-flammable, Irritating to eyes



16. OTHER INFORMATION

Contact person Mr. Hitesh Shah Tech Director of Siddharth Chlorochem Pvt. Ltd.

Tele: +91 980 702 6666

Any advice, recommendation, information, assistance or service Provided by Siddharth Chlorochem Pvt. Ltd. In relation to the goods Supplied by it or their use or application is given in good faith & believed to be appropriate and reliable. However, it is provided with the disclaimer for any liability or responsibility on the part of Siddharth Chlorochem Pvt. Ltd. The customer accepts all risk and responsibility for use of the goods alone, or in combination with the other products. All warranties, guarantees and conditions, other than those expressly stated. In case of any dispute Indian laws for the same is applicable.