



Siddharth Chlorochem PVT LTD

Material Safety Data Sheet

MSDS No: SCPL/010

Preparation Date: October/2019

Revision Date: May/2022

Product Name: Formaldehyde 37% solution



Reactivity	1
Fire	2
Health	3

1. IDENTIFICATION OF PRODUCT/DETAILS OF MANUFACTURING COMPANY

Product Name	Formaldehyde 37%
Product Code	SCPL/018
Product use	General purpose, Industrial Purpose
Company Name	Siddharth Chlorochem Pvt. Ltd.
Postal address	Plot No: 313 Phase II GIDC Panoli, Dist: Bharuch, Guj, India
Telephone	+91 2646 272406
Fax	+91 2646 272691
E-mail	director@siddharthchlorochem.com

2. CHEMICAL INFORMATION ON INGREDIENTS

Physical Property	Liquid form			
Ingredients	<u>Name</u>	<u>CAS</u>	<u>Proportion</u>	<u>Hazard</u>
	Formaldehyde (37%)	50-00-0	37%	Yes (Read entire MSDS)
Chemical structure	Formaldehyde in water			



Siddharth Chlorochem PVT LTD

3. HAZARDS IDENTIFICATION

- a. Corrosive! Harmful to inner respiratory systems if swallowed in large quantity. Causes serval skin and eye burns. Vapors are extremely irritating to eyes and respiratory tracks.
- b. Skin Contact: Corrosive! Burns can occur if not promptly removed. Concentrated solution may cause pain and deep and severe burns to the skin.
- c. Eye contact: Extremely corrosive! This product causes corneal scarring and clouding. Glaucoma, cataracts and permanent blindness may occur.
- d. Other health effects: Corrosive effects on skin and eye may be delayed, and damage may occur without the sensation or onset of pain.

4. FIRST AID MEASURES

Inhalation	Move victim to fresh air. Give artificial respiration ONLY if breathing has stopped. Give cardiopulmonary resuscitation (CPR) if there is no Breathing and no pulse. Oxygen administration may be beneficial in This situation but should only be administrated by personnel trained.
Ingestion	Do not attempt to give anything by mouth to an unconscious person. Immediately contact local poison control center. If victim is alert & not convulsing rinse mouth out and give 1 to 2 glasses of milk. Water may be used if milk is not available but it is not as effective. If Spontaneous vomiting occurs have victim lean forward with head Down to avoid breathing in of vomitus, rinse mouth and Administrator more milk or water.
Skin	Prompt removal of the material from the skin is essential. Remove all contaminated clothing and immediately wash the exposed area with copious amount of water for min of 30 min.
Eye	Immediately flush eye with running water for min 30 minutes. Hold Eyelids open during flushing. If irritating persists repeat flushing.
Advice to Doctor	Immersed the exposed part immediately in ice water to relieve pain and to prevent swelling & blistering. Place cold packs, ice or wet clothes on the burned area if immersion is not possible.



Siddharth Chlorochem PVT LTD

5. FIRE FIGHTING MEASURES

Fire hazards	Flammable (Air-Vapor mixture)
Extinguishing media	Water spray, carbon dioxide foam or dry agent.
Precaution	Use water spray to cool fire-exposed containers or structures. Use water spray to disperse vapors. Isolate materials that are not involved in the fire and protect personnel. The heat from fire may build-up pressure in the container and may rupture.

6. ACCIDENTAL RELEASE MEASURES

Spills & Disposal	Sweep up spills together with dust blinding agent or use a vacuum cleaner. Clean up personnel should wear protective glasses and dust mask. Place waste in labeled drums for disposal by incineration.
------------------------------	--

7. HANDLING AND STORAGE

Handling	Use normal "good" industrial hygienic and housekeeping practice Container exposed to heat may be under internal pressure. These should be cooled and vented before opening.
Storage	Store in a cool dry place. (Temp. range: 10-40 degree) Store away from organic acid & strong bases. Special material is to be used for packing to store the same like Teflon, polypropylene, PVC, rubber lined steel

8. EXPOSURE CONTROLS/PERSONEL PROTECTION

Airborne Exposure Limits:

-OSHA Permissible Exposure Limit (PEL):

0.75 ppm (TWA), 2 ppm (STEL), 0.5 ppm (TWA) action level for formaldehyde

200 ppm (TWA) for methanol

-ACGIH Threshold Limit Value (TLV):

0.3 ppm Ceiling formaldehyde, Sensitizer, A2 Suspected Human Carcinogen

200 ppm (TWA) 250 ppm (STEL) skin for methanol



Siddharth Chlorochem PVT LTD

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear Colorless liquid
Melting point	Approx. – 15 degree C
PH value	2.1 at 31% Solution
% Volatile by Volume	100 @ 21 C
Flash point	62 degree C
Flammability	Flammable
Boiling Point	96 C
Molecular Wt.	30.026
Solubility in water	very good

10. STABILITY AND REACTIVITY

Reaction hazard	Stable under ordinary conditions of use and storage.
Haz polymerization	Not possible
Decomposition product	Carbon dioxide, Carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Toxicology	Actuate oral toxicity: LD50 100 mg/Kg (rat)
Irritating	Actuate skin irritation:
Inhalation	Is likely to cause respiratory irritation
Ingestion	Harmful if swallowed in large quantity
Skin	Prolonged or repeated skin contact may cause irritation. It is likely to cause discomfort and effects such as moderate to serve itchiness Blistering and skin reddening.
Eye	This product is irritating to eyes. It will cause discomfort such as Stinging pain, watering and redness of the eyes. Effects may last after Exposure has ceased, and in severer exposures, long lasting or even Permanent effects such as corneal damage can occur.



Siddharth Chlorochem PVT LTD

12. ECOLOGICAL INFORMATION

Information on	Fish 96h-150: between 10-100 mg/L Dophia 24h-EC50: 10-100 mg/L Algae 72h-IC50: 10-100 mg/L
-----------------------	--

13. DISPOSAL CONSIDERATION

Deactivating chemicals	Neutralize carefully a ph of 7 Neutralization is expected to be an exothermic.
-------------------------------	---

14. TRANSPORT INFORMATION

U.N. Number	Please consult North American Emergency guide book, via UN# for guidance on addressing spills.
Shipping Description	Class 3 (8) UN 1198, Packing group: III
Label	Corrosive, Flammable
EMS	F- E, S- C
Marine Pollutant	No

15. REGULATORY INFORMATION

Safety Phrase	In case of contact with eyes rinse immediately with plenty of water And take medical attention.
Poisons Schedule	Not poison
Hazard category	Non-flammable, Irritating to eyes



Siddharth Chlorochem PVT LTD

16. OTHER INFORMATION

Contact person

Mr. Hitesh Shah Tech Director of Siddharth Chlorochem Pvt. Ltd.
Tele: +91 980 702 6666

Any advice, recommendation, information, assistance or service Provided by Siddharth Chlorochem Pvt. Ltd. In relation to the goods Supplied by it or their use or application is given in good faith & believed to be appropriate and reliable. However, it is provided with the disclaimer for any liability or responsibility on the part of Siddharth Chlorochem Pvt. Ltd. The customer accepts all risk and responsibility for use of the goods alone, or in combination with the other products. All warranties, guarantees and conditions, other than those expressly stated. In case of any dispute Indian laws for the same is applicable.