

Material Safety Data Sheet

Preparation Date: July/2019 Revision Date: May/2022

MSDS No: SCPL/020-R02

Product Name:

Sulfuric Acid 98%



Reactivity	2
Fire	0
Health	3

1. IDENTIFICATION OF PRODUCT/DETAILS OF MANUFACTURING COMPANY

Product Name	Sulfuric Acid
Product Code	SCPL/020
Product use	General purpose, Industrial Purpose
Company Name	Siddharth Chlorochem Pvt. Ltd.
Postal address	Plot No: 313 Phase II GIDC Panoli, Dist: Bharuch, Guj, India
Telephone	+91 2646 272406
Fax	+91 2646 272691
E-mail	director@siddharthchlorochem.com

2. CHEMICAL INFORMATION ON INGREDIENTS

Physical Property	Liquid form			
Ingredients	<u>Name</u>	CAS	Proportion	Hazard
	Sulfuric acid	7664-93-9	98% Min	Yes (Read entire
				MSDS)
Chemical structure	Hydrogen Sul	phate, Battery	Acid	



3. HAZARDS IDENTIFICATION

- a. Corrosive! Harmful to inner respiratory systems if swallowed in large quantity. Causes serval skin and eye burns. Vapors are extremely irritating to eyes and respiratory tracks.
- b. Skin Contact: Corrosive! Burns can occur if not promptly removed. Concentrated solution may cause pain and deep and severe burns to the skin.
- c. Eye contact: Extremely corrosive! This product causes corneal scarring and clouding. Glaucoma, cataracts and permanent blindness may occur.
- d. Other health effects: Corrosive effects on skin and eye may be delayed, and damage may occur without the sensation or onset of pain.

	MEASURES
Inhalation	Move victim to fresh air. Give artificial respiration ONLY if breathing has stopped. Give cardiopulmonary resuscitation (CPR) if there is no Breathing and no pulse. Oxygen administration may be beneficial in This situation but should only be administrated by personnel trained.
Ingestion	Do not attempt to give anything by mouth to an unconscious person. Immediately contact local poison control center. If victim is alert & not convulsing rinse mouth out and give 1 to 2 glasses of milk. Water may be used if milk is not available but it is not as effective. If Spontaneous vomiting occurs have victim lean forward with head Down to avoid breathing in of vomitus, rinse mouth and Administrator more milk or water.
Skin	Prompt removal of the material from the skin is essential. Remove all contaminated clothing and immediately wash the exposed area with copious amount of water for min of 30 min.
Еуе	Immediately flush eye with running water for min 30 minutes. Hold Eyelids open during flushing. If irritating persists repeat flushing.
Advice to Doctor	Immersed the exposed part immediately in ice water to relieve pain and to prevent swelling & blistering. Place cold packs, ice or wet clothes on the burned area if immersion is not possible.

4. FIRST AID MEASURES



5. FIRE FIGHTING MEASURES

Fire hazards	Non-flammable.
Extinguishing media	Water spray, carbon dioxide foam or dry agent.
Precaution	Use water spray to cool fire-exposed containers or structures.
	Use water spray to disperse vapors. Isolate materials that are not
	Involved in the fire and protect personnel. The heat from fire may
	Build-up pressure in the container and may rupture.

6. ACCIDENTAL RELEASE MESURES	
Spills & Disposal	Sweep up spills together with dust blinding agent or use a vacuum cleaner. Clean up personnel should wear protective glasses and dust
	mask. Place waste in labeled drums for disposal by incineration.

7.	HANDLING AND STORAGE	
----	----------------------	--

Handling	Use normal "good" industrial hygienic and housekeeping practice Container exposed to heat may be under internal pressure. These should be cooled and vented before opening.
Storage	Store in a cool dry place. (Temp. range: 10-35 degree) Store away from organic acid & strong bases.
	Special material is to be used for packing to store the same like Teflon, polypropylene, PVC, rubber lined steel

8. EXPOSURE CONTROLS/PERSONEL PROTECTION

Exposure information	We recommend the following for nuisance fumes, dusts: TWA 10 mg/m3
Respiratory	Avoid inhalation of fumes
Eye protection	Avoid contact with eyes
Personnel protective	Safety glasses and gloves recommended and dust mask in accordance
Equipment	with AS1715 and AS1716.



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Colorless liquid.
Melting point	Approx. 10.35 degree C
PH value	Highly acidic (0.3 in 1% Solution)
Volatile compound	Not available
Flash point	>100 degree C
Flammability	Non-flammable
Ignition	Not available
Molecular Wt.	98.07
Solubility in water	Soluble

10. STABILITY AND REACTIVITY

Reaction hazard	If react with strong bases. Liberates heat in contact with Water
Haz polymerization	Not possible
Decomposition product	Oxides of Sulfur

11. TOXILOGICAL INFORMATION

Toxicology	Actuate oral toxicity: LD50 1500-2000 mg/Kg (rat)
Irritating	Actuate skin irritation:
Inhalation	Is likely to cause respiratory irritation
Ingestion	Harmful if swallowed in large quantity
Skin	Prolonged or repeated skin contact may cause irritation. It is likely
	To cause discomfort and effects such as moderate to serve itchiness
	Blistering and skin reddening.
Eye	This product is irritating to eyes. It will cause discomfort such as
	Stinging pain, watering and redness of the eyes. Effects may last after
	Exposure has ceased, and in severer exposures, long lasting or even
	Permanent effects such as corneal damage can occur.



12. ECOLOGICAL INFORMATION		
Information on	Fish 96h-150: 282 mg/L Dophia24h-EC50: 100-330 mg/L Algae 72h-IC50: 100-330 mg/L	
13. DISPOSAL CONSIDERATION		
Deactivating chemicals	Neutralize carefully with soda ash or sodium bicarbonate to a ph of 7 Neutralization is expected to be an exothermic.	
14. TRANSPORT INFORMATION		
U.N. Number	Please consult North American Emergency guide book, via UN# for guidance on addressing spills.	
Shipping Description	Class 8, UN 1830, Packing group: II	
Label	Corrosive.	
EMS	F A, S B	
Marine Pollutant	No	

15. REGULATORY INFORMATION

Safety Phrase	In case of contact with eyes rinse immediately with plenty of water
	And take medical attention.
Poisons Schedule	Not poison
Hazard category	Flammable, Irritating to eyes



16. OTHER INFORMATION	
Contact person	Mr. Hitesh Shah Tech Director of Siddharth Chlorochem Pvt. Ltd. Tele: +91 980 702 6666 Any advice, recommendation, information, assistance or service Provided by Siddharth Chlorochem Pvt. Ltd. In relation to the goods Supplied by it or their use or application is given in good faith & believed to be appropriate and reliable. However, it is provided with the disclaimer for any liability or responsibility on the part of Siddharth Chlorochem Pvt. Ltd. The customer accepts all risk and responsibility for use of the goods alone, or in combination with the other products. All warranties, guarantees and conditions, other than those expressly stated. In case of any dispute Indian laws for the same is applicable.